

# Material Safety Data Sheet

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER:

Product Name: **Fortron TRUCK POWER**

Other Names: **TRUCK POWER**  
**FTP – 325ml bottle**

Recommended Use: Truck Power is an advanced technology product that is specially designed to restore power, improve performance and reduce exhaust smoke by cleaning fouled injector and fuel systems in all types of diesel engines. Truck Power has the ability to emulsify water caused through condensation and other methods thus lessening the effect of corrosion throughout the entire fuel system. The gum, varnish and wax deposits present in fuel cause inefficient output from the engine hence increasing running cost. Truck Power has the ability to clear and dissolve these deposits gradually allowing the engine to regain and maintain maximum efficiency for longer periods.

Supplier: Fortron Automotive Treatments Pty Ltd  
14-18 Sangiorgio Court, Osborne Park  
Perth, Western Australia 6017  
ACN 008 872 197 ABN 12 008 872 197

Phone: (618) 9202 7800 (Monday – Friday 8.00am – 5.00pm)

Fax: (618) 9202 7851  
[www.fortron.com.au](http://www.fortron.com.au)

Emergency Telephone No: 0433 088 498

## 2. HAZARDS IDENTIFICATION:

### HAZARDOUS ACCORDING TO CRITERIA OF WORKSAFE AUSTRALIA

Hazard Identification:	Xn	Harmful
Risk Phrase:	R36/38 R50	Irritating to eyes and skin Very toxic to aquatic organisms
Safety Phrase:	S26 S60 S61	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. This material and its container must be disposed of as hazardous waste. Avoid release to the environment. Refer to special instructions/safety data sheet.

---

**3. COMPOSITION/INFORMATION ON INGREDIENTS:**

---

<u>Chemical Name</u>	<u>CAS Number</u>	<u>Proportion % w/w</u>
Nonionic alkoxyates	68002-97-1	30%
Alkoxy ethers	112-34-5	30%
Anionic detergents		30 - 60%

---

**4. FIRST AID MEASURES:**

---

Swallowed:	If swallowed DO NOT INDUCE vomiting. Rinse mouth with water. Give water to drink.  For advice, contact a Poisons Information Centre. Phone Australia 13 1126; New Zealand 03 4747 000 (Not after May 2005) or 0800 764 766; or a doctor (at once).
Eye:	If contact with the eye(s) occurs, immediately hold the eye open and wash continuously for at least 15 minutes with fresh running water. Ensure irrigation under eyelids by occasionally lifting the upper and lower lids. If symptoms persist seek medical advice.
Skin:	Wash contaminated skin with plenty of water. Remove contaminated clothing and wash before re-use. If irritation occurs seek medical advice.
Inhaled:	Remove to fresh air. Seek medical advice if effects persist.
First Aid Facilities:	Eye wash facilities and normal wash room facilities.
Advice to Doctor:	Treat symptomatically.

---

**5. FIRE FIGHTING MEASURES:**

---

	Non Flammable. Combustible Liquid
Extinguishing Media:	Extinguish with water spray, foam, carbon dioxide or dry chemical.
Unusual Fire & Explosion Hazards:	None applicable.
Fire Fighting Precautions:	Fire fighters to wear self-contained breathing apparatus.
Hazchem Code:	2X

---

## 6. ACCIDENTAL RELEASE MEASURES:

---

Emergency Procedures:

Methods and Materials for  
Containment and Clean Up:-

Small Spills/Large Spills: Contain using absorbent (soil, sand, vermiculite or other inert material). Collect and seal in properly labelled containers for disposal.

Dispose according to State Land Management Authority regulations.

---

## 7. HANDLING AND STORAGE:

---

Precautions for Safe Handling: Avoid all skin and eye contact. Wear rubber or PVC gloves, goggle and overalls. Practice good industrial hygiene. Always wash hands before smoking, eating, drinking or using the toilet.

Conditions for Safe Storage: Store in a cool place. Keep sealed when not in use.

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION:

---

National Exposure  
Standards:

No LD50 available.

Exposure Standard means the average concentration of a particular substance in the worker's breathing zone, exposure to which, according to current knowledge, should not cause adverse health effects nor cause undue discomfort to nearly all workers. It can be of three forms; time-weighted average (TWA), peak limitation, or short term exposure limit (STEL).

Time-weighted average (TWA) is defined as the concentration of that substance over an eight-hour working shift, and apply to an eight-hour day, for a five-day working week over an entire working lifetime. Short Term Exposure Limits (STEL) and Peak Limitations may also be specified for short periods of exposure such as 15 minutes.

Engineering Controls: Use in well ventilated areas.

Personal Protective Equipment: Avoid all skin and eye contact. Wear rubber or PVC gloves, goggle and overalls.

*Hygiene Recommendations:* Keep an eye wash fountain available.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES:

---

Appearance:	Clear gold coloured mobile liquid
Odour:	Fragrant odour
pH:	Neutral
Vapour Pressure:	2mm Hg @ 20°C
Vapour Density:	
Boiling Point:	> 120°C
Melting Point:	> 120°
Solubility in Water:	Miscible with water
Specific Gravity:	0.95 - 1.05
Flashpoint:	> 75°C (C/C)
Flammability Limits:	LEL Not assigned UEL Not assigned
Volatiles:	30%

---

## 10. STABILITY AND REACTIVITY:

---

Chemical Stability:	Non Flammable. Combustible Liquid.
Conditions to Avoid:	Store in a cool place.
Incompatible Materials:	None Applicable.
Hazardous Decomposition Products:	No special requirements.
Hazardous Reactions:	Combustible liquid.

---

## 11. TOXICOLOGICAL INFORMATION:

---

### HUMAN HEALTH HAZARDS - ACUTE

Swallowed:	Low toxicity expected. Swallowing may cause damage to gastrointestinal tract.
Eye:	Significant irritant. Irritation may persist.
Skin:	Irritant. Will have a degreasing action on the skin. Repeated or prolonged contact may lead to irritant contact dermatitis.
Inhaled:	Not a risk due to low vapour pressure at ambient temperatures. If heated may irritate upper respiratory tract.
Chronic:	No effects were found in long term animal study dosed orally.

---

---

**12. ECOLOGICAL INFORMATION:**

---

Ecotoxicity: Environmental Impact : Very toxic to aquatic organisms.

Persistence and Degradability: None established for this product.

Mobility: None established for this product.

---

**13. DISPOSAL CONSIDERATIONS:**

---

Disposal Methods and Containers: Contain using sand or soil – prevent run off into drains and waterways. Use absorbent (soil, sand, vermiculite or other inert material). Collect and seal in properly labelled containers for disposal.

Dispose according to State Land Management Authority regulations.

Special Precautions for Landfill or Incineration: No special requirements.

---

**14. TRANSPORT INFORMATION:**

---

UN Number: 3082

UN Proper Shipping Name: Environmentally Hazardous Substance, Liquid N.O.S

Class and Subsidiary Risk: 9

Packaging Group: III

Special Precaution for User: None Allocated

Hazchem Code: 2X

Poisons Schedule: None Allocated

---

**15. REGULATORY INFORMATION:**

---

Hazardous according to criteria of Worksafe Australia



**16. OTHER INFORMATION:**

---

Date of Issue: 30th July, 2009

MSDS Number: MSDS:106

Issue Number: E

**Please Note:**

The information presented herein has been compiled from sources considered to be dependable and is accurate to the best of Fortron Automotive Treatments Pty Ltd's knowledge; However Fortron Automotive Treatments Pty Ltd makes no warranty whatsoever, expressed or implied, or MERCHANTABILITY OR FITNESS FOR THE PARTICULAR PURPOSE, regarding the accuracy of such data or the results to be obtained from the use thereof. Fortron Automotive Treatments Pty Ltd assumes no responsibility for injury to recipient or to third persons or for any damage to any property and recipient assumes all such risks.